

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AvA: Avonburg-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage	0.53
Ba: Bartle-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage	0.53
Be: Beanblossom-----	100	Very limited Flooding Depth to saturated zone Depth to bedrock	1.00 1.00 0.78	Very limited Flooding Seepage Depth to saturated zone Depth to soft bedrock	1.00 1.00 0.71 0.42
BgF: Berks-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Trevlac-----	25	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.53
Wellston-----	25	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.46	Very limited Slope Depth to soft bedrock Seepage	1.00 1.00 0.53
BnD2: Bonnell-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BpD3: Bonnell-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00
CdD2: Chetwynd-----	100	Very limited Slope Restricted permeability	1.00 0.46	Very limited Slope Seepage	1.00 1.00

CdF:					
Chetwynd-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.46	Seepage	1.00
		permeability			
CnC2:					
Cincinnati-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Depth to	0.81
		saturated zone		saturated zone	
		Slope	0.04	Seepage	0.53
Hc:					
Haymond-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
		Depth to	0.40		
		saturated zone			
HKD2:					
Hickory-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Slope	1.00	Seepage	0.53
HkF:					
Hickory-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	1.00	Seepage	0.53
		permeability			
MnC2:					
Miami-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Depth to	0.96
		saturated zone		saturated zone	
		Slope	0.04	Seepage	0.53

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PeB:					
Pekin-----	100	Very limited		Somewhat limited	
		Depth to	1.00	Seepage	0.53
		saturated zone			
		Restricted	1.00	Slope	0.32
		permeability			
				Depth to	0.08
				saturated zone	
PeC2:					
Pekin-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Seepage	0.53
		saturated zone			
		Slope	0.04	Depth to	0.08
				saturated zone	
RoB2:					
Rossmoyne-----	100	Very limited		Somewhat limited	
		Restricted	1.00	Seepage	0.53
		permeability			
		Depth to	1.00	Slope	0.32
		saturated zone			
				Depth to	0.01
				saturated zone	
Sf:					
Steff-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	1.00
		permeability			
St:					
Stendal-----	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Depth to	1.00

			saturated zone		saturated zone	
			Restricted	0.46	Seepage	0.53
			permeability			
Sv:						
Stendal-----	100	Very limited		Very limited		
		Flooding	1.00	Flooding	1.00	
		Depth to	1.00	Depth to	1.00	
		saturated zone		saturated zone		
		Restricted	0.46	Seepage	0.53	
		permeability				

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SwC2: Stonehead-----	100	Very limited Depth to saturated zone Depth to bedrock Restricted permeability	1.00 1.00 0.46	Very limited Slope Depth to soft bedrock Depth to saturated zone Seepage	1.00 1.00 0.81 0.53
SwD3: Stonehead-----	100	Very limited Depth to saturated zone Slope Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to soft bedrock Depth to saturated zone Seepage	1.00 1.00 0.81 0.53
SxD2: Stonehead-----	65	Very limited Depth to saturated zone Slope Depth to bedrock Restricted permeability	1.00 1.00 1.00 0.46	Very limited Slope Depth to soft bedrock Depth to saturated zone Seepage	1.00 1.00 0.81 0.53
Trevlac-----	35	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.46	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.53
TLB: Tilsit-----	100	Very limited Depth to saturated zone Depth to bedrock Restricted permeability	1.00 1.00 0.46	Somewhat limited Depth to hard bedrock Depth to saturated zone Seepage Slope	1.00 0.81 0.53 0.32
Ud: Udorthents-----	100	Very limited Slope	1.00	Very limited Slope	1.00
W: Water Less Than 40 Acres-----	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value

W4:					
Water More Than 40					
Acres-----	100	Not rated		Not rated	
WaD:					
Wellston-----	50	Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00
		Slope	0.84	Depth to soft	1.00
				bedrock	
		Restricted	0.46	Seepage	0.53
		permeability			
Berks-----	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
				bedrock	
		Slope	0.84	Seepage	1.00
				Slope	1.00
Trevlac-----	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
				bedrock	
		Slope	0.84	Slope	1.00
				Seepage	0.53
WeC2:					
Wellston-----	58	Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00
		Restricted	0.46	Depth to soft	1.00
		permeability		bedrock	
		Slope	0.04	Seepage	0.53
Gilpin-----	42	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
				bedrock	
		Restricted	0.46	Slope	1.00
		permeability			
		Slope	0.04	Seepage	0.53
Wt:					
Wilbur-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			